



# FRONTIER ARMS

Since 1949



Exclusive Australian Distributor

08 8373 2855

[www.frontierarms.com.au](http://www.frontierarms.com.au)

# MULTI-CALIBRE

**5.56mm**

# CM901

**7.62mm**



The Colt CM901 can change calibres from 5.56mm up to and including 7.62 x 51mm NATO, by changing the upper receiver group at the user level. By simply disengaging the takedown and pivot pins (no tools, gunsmith, or gauges required), the user can quickly change from a 5.56mm Close Quarters Battle (CQB) short barrel configuration to a full length 7.62 x 51mm Extended Range Carbine (ERC) configuration in seconds without the need to re-zero or retarget optics already mounted on the upper receiver assembly. The CMC weapon system is the **ONLY SYSTEM** to offer this user-level truly modular configuration capability. The CMC system all but eliminates critical mission time loss and key personnel requirements to execute weapon configuration changes.

This self-contained design concept protects critical components of the operating system and provides uninterrupted operability in all environments. The CMC is the **ONLY 'Single Serial Number Weapon System'** that can be reconfigured, at the combatant commander's discretion, into multiple carbine/calibre configurations without special tools. This same modular capability not only applies to the calibre, but also to the operating system, which can be configured for gas impingement, piston (Colt APC), or hybrid gas/piston (Colt AHC) operating systems. All of these modular attributes are now available at the unit level without sacrificing the battle proven ergonomics and reliability warfighters have come to expect from Colt Defense LLC products.

Model	CM901 Carbine 7.62mm	CM901 Carbine 5.56mm
<b>Calibre</b>	7.62 x 51 NATO (.308)	5.56 x 45 NATO (.223)
<b>Weight w/o accessories</b>	9.4lbs (4.26kg)	7.5lbs (3.4kg)
<b>Overall Length (Stock Retracted)</b>	34.25" (87.0cm)	32" (81.3cm)
<b>Overall Length (Stock Extended)</b>	37.5" (95.3cm)	35.25" (89.5cm)
<b>Barrel Length</b> *various barrel lengths available	16" (40.6cm)	14.5" (36.83cm)
<b>Rate of Fire</b>	700-950 RPM	700-950 RPM
<b>Rifling</b>	1/12 RH	1/7 RH
<b>Effective Range</b>	700m	600m
<b>Front Sight</b>	Adjustable Folding	Adjustable Folding
<b>Fire Control</b>	Safe - Semi - Auto	Safe - Semi - Auto
<b>Upper Receiver</b>	One-Piece Monolithic Flat Top	One-Piece Monolithic Flat Top
<b>Method of Operation</b>	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt



**M4 Advanced**  
**Monolithic One-Piece Upper**  
 R0922 Safe - Semi - Burst  
 R0923 Safe - Semi - Auto



**M4 Advanced**  
**Articulating Link Piston**  
 P0923 Safe - Semi - Auto



**M4 Carbine**  
**US Army Weapon of Choice**  
 R0979 Safe - Semi - Burst  
 R0977 Safe - Semi - Auto  
 LE692 I Safe - Semi

Model	R0922	R0923	P0923	R0979	R0977	LE692 I
<b>Calibre</b>	5.56 x 45 NATO (.223)	5.56 x 45 NATO (.223)	5.56 x 45 NATO (.223)	5.56 x 45 NATO (.223)	5.56 x 45 NATO (.223)	5.56 x 45 NATO (.223)
<b>Weight w/o accessories</b>	7lbs (3.175kg)	7lbs (3.175kg)	7lbs (3.175kg)	6.11lbs (2.771kg)	6.11lbs (2.771kg)	6.11lbs (2.771kg)
<b>Overall Length (Stock Retracted)</b>	29.8" (75.69cm)	29.8" (75.69cm)	29.8" (75.69cm)	29.8" (75.69cm)	29.8" (75.69cm)	29.8" (75.69cm)
<b>Overall Length (Stock Extended)</b>	33" (83.82cm)	33" (83.82cm)	33" (83.82cm)	33" (83.82cm)	33" (83.82cm)	33" (83.82cm)
<b>Overall Length (Stock Collapsed)</b>	N/A	N/A	N/A	N/A	N/A	N/A
<b>Barrel Length</b>	14.5" (36.83cm)	14.5" (36.83cm)	14.5" (36.83cm)	14.5" (36.83cm)	14.5" (36.83cm)	14.5" (36.83cm)
<b>Rate of Fire</b>	700-950 RPM	700-950 RPM	700-1000 RPM	700-950 RPM	700-950 RPM	N/A
<b>Rifling</b>	1/7 RH	1/7 RH	1/7 RH	1/7 RH	1/7 RH	1/7 RH
<b>Effective Range</b>	600m	600m	600m	600m	600m	600m
<b>Front Sight</b>	Adjustable Folding	Adjustable Folding	Adjustable Folding	Adjustable	Adjustable	Adjustable
<b>Fire Control</b>	Safe - Semi - Burst	Safe - Semi - Auto	Safe - Semi - Auto	Safe - Semi - Burst	Safe - Semi - Auto	Safe - Semi
<b>Upper Receiver</b>	One-Piece Monolithic Flat Top	One-Piece Monolithic Flat Top	One-Piece Monolithic Flat Top	Flat Top	Flat Top	Flat Top
<b>Method of Operation</b>	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt	Articulating Link Piston	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt



## Sub Compact Weapon

Collapsible Folding Stock

SCW0921 Safe-Semi-Auto



## M4 Commando

Get In and Get Out

R0933 Safe - Semi - Auto

R0935 Safe - Semi - Burst

R0923CQB Safe - Semi - Auto



## Infantry Automatic Rifle

Monolithic One-Piece Upper

IAR6940 Safe - Semi - Auto

Model	SCW0921	R0933	R0935	R0923CQB	IAR6940
<b>Calibre</b>	5.56 x 45 NATO (.223 )	5.56 x 45 NATO (.223 )	5.56 x 45 NATO (.223 )	5.56 x 45 NATO (.223 )	5.56 x 45 NATO (.223 )
<b>Weight w/o accessories</b>	6.5lbs (2.95kg)	5.38lbs (2.44kg)	5.38lbs (2.44kg)	5.72lbs (2.6kg)	9.5lbs (4.31kg)
<b>Overall Length (Stock Retracted)</b>	28.5" (72.39cm)	27.1" (68.83cm)	27.1" (68.83cm)	26.2" (66.5cm)	33.5" (85.09cm)
<b>Overall Length (Stock Extended)</b>	30.25" (76.84cm)	30.4" (77.22cm)	30.4" (77.22cm)	29.4" (74.6cm)	36.75" (93.35cm)
<b>Overall Length (Stock Collapsed)</b>	23.5" (59.69cm)	N/A	N/A	N/A	N/A
<b>Barrel Length</b>	10.3" (26.16cm)	11.5" (29.21cm)	11.5" (29.21cm)	10.3" (26.16cm)	16" (40.64cm)
<b>Rate of Fire</b>	700-950 RPM	700-950 RPM	700-950 RPM	700-950 RPM	700-1000 RPM
<b>Rifling</b>	1/7 RH	1/7 RH	1/7 RH	1/7 RH	1/7 RH
<b>Effective Range</b>	400m	400m	400m	400m	600m
<b>Front Sight</b>	Adjustable Folding	Adjustable	Adjustable	Adjustable Folding	Adjustable Folding
<b>Fire Control</b>	Safe - Semi - Auto	Safe - Semi - Auto	Safe - Semi - Burst	Safe - Semi - Auto	Safe - Semi - Auto
<b>Upper Receiver</b>	One-Piece Monolithic Flat Top	Flat Top	Flat Top	One-Piece Monolithic Flat Top	One-Piece Monolithic Flat Top
<b>Method of Operation</b>	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt



## M203 Grenade Launcher

Lightweight Single Shot

M203



## M16 A4

Integral Rail Mounting System

R0901 Safe-Semi-Auto R0905 Safe-Semi-Burst



## 9mm SMG

Lightweight, Compact, Concealable

R0991 Safe-Semi-Auto

R0992 Safe-Semi-Burst



## Rail Gun

O1980RG Semi



## New Agent

O7810DA

Compact Double Action



## Defender

O7000D

Lightweight Semi

Model	M203	R0901	R0905	R0991	R0992	O1980RG	O7810DA	O7000D
<b>Calibre</b>	40mm	5.56 x 45 NATO (.223)	5.56 x 45 NATO (.223)	9mm x 19	9mm x 19	.45 ACP	.45 ACP	.45 ACP
<b>Weight w/o accessories</b>	2.5lbs (1.13kg)	7.18lbs (3.26kg)	7.18lbs (3.26kg)	6.7lbs (3.04kg)	6.7lbs (3.04kg)	39oz (1.10kg)	24oz (0.68kg)	25oz (0.68kg)
<b>Overall Length (Stock Retracted)</b>	N/A	N/A	N/A	26" (66.04cm)	26" (66.04cm)	N/A	N/A	N/A
<b>Overall Length (Stock Extended)</b>	N/A	39.5" (100.33cm)	39.5" (100.33cm)	29.25" (74.3cm)	29.25" (74.3cm)	8.5" (21.6cm)	6.75" (17.15cm)	6.75" (17.15cm)
<b>Overall Length (Stock Collapsed)</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>Barrel Length</b>	9" or 12"	20" (50.8cm)	20" (50.8cm)	10.5" (26.67cm)	10.5" (26.67cm)	5" (12.7cm)	3" (7.62cm)	3" (7.62cm)
<b>Rate of Fire</b>	N/A	700-950 RPM	700-950 RPM	700-950 RPM	700-950 RPM	N/A	N/A	N/A
<b>Rifling</b>	N/A	1/7 RH	1/7 RH	1/10 RH	1/10 RH	N/A	N/A	N/A
<b>Effective Range</b>	400m	600m	600m	100m	100m	50m	50m	50m
<b>Front Sight</b>	N/A	Adjustable	Adjustable	Adjustable	Adjustable	Fixed	Trench	Fixed
<b>Fire Control</b>	N/A	Safe - Semi - Auto	Safe - Semi - Burst	Safe - Semi - Auto	Safe - Semi - Burst	N/A	N/A	N/A
<b>Upper Receiver</b>	N/A	Flat Top	Flat Top	Flat Top	Flat Top	N/A	N/A	N/A
<b>Method of Operation</b>	Single Shot / Breech Load	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt	Gas; Direct System; Locking Bolt	Semi Auto / Locked Breech	Semi Auto / Locked Breech	Semi Auto / Locked Breech



# LAW ENFORCEMENT PISTOLS



**P99 Q**  
Double Strike Capacity  
9mm Only



**P99 AS**  
Anti Stress Trigger  
9mm or .40 S&W



**P99 QA**  
Quick Action Trigger  
9mm or .40 S&W



**P99 DAO**  
Double Action Only Trigger  
9mm or .40 S&W

Model	P99 Q	P99 AS	P99 AS	P99 QA	P99 QA	P99 DAO	P99 DAO
Calibre	9mm x 19	9mm x 19	.40 S&W	9mm x 19	.40 S&W	9mm x 19	.40 S&W
Barrel Length	102mm (4")	102mm (4")	106mm (4.17")	102mm (4")	106mm (4.17")	102mm (4")	106mm (4.17")
Dimensions (L/H/W)	180/135/34	180/135/32	184/135/32	180/135/32	184/135/32	180/135/32	184/135/32
Weight w/o magazine	685grams	605grams	655grams	605grams	655grams	605grams	655grams
Sights	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night
Magazine Capacity	15	15	12	15	12	15	12
Trigger	Pre-Set & DA	SA/DA	SA/DA	Pre-cocked	Pre-cocked	DA-Only	DA-Only
Trigger Weight (gram)	3,200/4,600	2,000/4,000	2,000/4,000	3,800	3,800	3,800	3,800



**P99 Compact**  
AS, QA or DAO Trigger  
9mm or .40 S&W



**PPS**  
More Conceal, Less Carry  
9mm or .40 S&W

Model	P99 C AS	P99 C QA	P99 C QA	P99 C DAO	P99 C DAO	PPS	PPS
Calibre	9mm x 19	9mm x 19	.40 S&W	9mm x 19	.40 S&W	9mm x 19	.40 S&W
Barrel Length	90mm (3.5")	90mm (3.5")	90mm (3.5")	90mm (3.5")	90mm (3.5")	81mm (3.2")	81mm (3.2")
Dimensions (L/H/W)	168/110/32	168/110/32	168/110/32	168/110/32	168/110/32	161/112/23	161/112/23
Weight w/o magazine	530grams	530grams	575grams	545grams	575grams	550grams	589grams
Sights	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night	3 Dot Phosphor or Tritium Night
Magazine Capacity	10	10	8	10	8	6 / 7 / 8	5 / 6 / 7
Trigger	SA/DA	Pre-cocked	Pre-cocked	DA-Only	DA-Only	Striker Fire Action, Pre-Cocked	Striker Fire Action, Pre-Cocked
Trigger Weight (gram)	2,000/4,000	3,800	3,800	3,800	3,800	2,800	2,800

## APR Sniper Rifle

Complete Sniper System

BT-APR308 .308 Win

BT-APR338 .338 LM



## MP9 SMG

Lightweight & Compact

MP9 SMG Safe - Semi - Auto

TP9 Carbine Safe - Semi

TP9 Pistol Safe - Semi



Tactical Rail Handguards  
SMGs, Sniper Rifles, Pistols



Suppressors  
SMGs, Sniper  
Rifles, Pistols

B&T 40mm munitions  
CS, OC, Rubber, Smoke, Marker



## GL-06 Launcher

Compact, Folding Stock

GL-06 Single Shot 40mm



## LL-06 Launcher

Less Lethal Launcher

LL-06 Single Shot 40mm

Model	MP9 SMG	TP9 CARBINE	TP9 PISTOL	BT-APR308	BT-APR338	GL-06 / LL-06
<b>Calibre</b>	9mm x 19	9mm x 19	9mm x 19	7.62mm x 51 NATO (.308 Win)	.338 Lapua Magnum (8.6mm x 70 LM)	40mm x 46
<b>Weight w/o accessories</b>	1.4kg	1.4kg	1.25kg	7.010kg	8.2kg	2.1kg
<b>Overall Length (Stock Retracted)</b>	303mm	303mm	303mm	906mm	1202mm	28.5" (72.39cm)
<b>Overall Length (Stock Extended)</b>	523mm	523mm	N/A	1139mm	1236mm	590.1mm
<b>Overall Length (Stock Collapsed)</b>	N/A	N/A	N/A	N/A	N/A	385mm
<b>Barrel Length</b>	130mm	130mm	130mm	610mm	690mm	279.8mm
<b>Rate of Fire</b>	900 RPM	N/A	N/A	N/A	N/A	N/A
<b>Rifling</b>	N/A	N/A	N/A	4 grooves, right hand twist 1:11 inch	6 grooves, right hand twist 1:11 inch	12 grooves, right hand twist 1:48 inch
<b>Effective Range</b>	50m	50m	50m	1000m	1300m	400m
<b>Sighting System</b>	Ghost-ring sight, fully adjustable	Ghost-ring sight, fully adjustable	Square notch Pistol Sight, fully adjustable	BT-3-12x50-CC Scope	BT-3-12x50-CC Scope	Red dot sight Aimpoint Micro T-1 (dot size 4 MOA)
<b>Fire Control</b>	Safe - Semi - Auto	Safe - Semi	Safe - Semi	Safe	Safe	Ghost ring iron sights (sight radius 339mm), adj. in windage
<b>Magazine Capacity</b>	15, 20, 25 and 30	15, 20, 25 & 30	15, 20, 25 and 30	10	10	Single Shot
<b>Method of Operation</b>	Locking Rotating Barrel System, Locked Closed Bolt Action, Blow Back operated, Bolt remains open after last shot	Locking Rotating Barrel System, Locked Closed Bolt Action, Blow Back operated, Bolt remains open after last shot	Locking Rotating Barrel System, Locked Closed Bolt Action, Blow Back operated, Bolt remains open after last shot	Bolt action rifle, 3 locking lugs, 60° opening angle	Bolt action rifle, 3 locking lugs, 60° opening angle	Break-down single shot, double action only *LL-06 chamber remains locked if HE grenade is inadvertently fired



**THOMPSON/CENTER**  
America's Master Gunmaker

## LAW ENFORCEMENT



**Warlord Sniper Rifle**  
Guaranteed 1/2" MOA

Model	ICON Warlord				
Calibre	7.62mm x 51 NATO (.308 Win)	Rifling	5R Rifling, 1:11 1/4 inch twist	Method of Operation	Bolt action rifle, 3 locking lugs, 60° opening angle
Weight w/o accessories	5.8kg (12.75lbs)	Effective Range	1000m	Stock	Manners Carbon Fibre
Overall Length	1066mm (42")	Sighting System	20 MOA Picatinny Integral Base	Barrel	Hand Lapped Match Grade, Tapered, Fluted, Stainless Steel Weathershield Finish
Barrel Length	560mm (22")	Magazine Capacity	5 or 10	Bolt	Tactical, Fluted, Nitride Coated

## UMAREX<sup>®</sup> LAW ENFORCEMENT TRAINING



**RAM 3 R**  
Training Carbine  
Cal .43 Paintball/Rubberball



**RAM Combat**  
Training Pistol  
Cal .43 Paintball/Rubberball



**RAM P99**  
Training Pistol  
Cal .43 Paintball/Rubberball

**Training Ammunition**  
Cal .43 Paintball, Powderball and Rubberball



## FRONTIER ARMS

Since 1949

Frontier Arms is a third-generation wholly owned Australian company specialising in the importation and distribution of weapon systems, firearms, munitions and accessories.

Based in Adelaide, South Australia, Frontier Arms exclusively represents some of the world's leading small arms manufacturers including Colt Defense, Brugger & Thomet, Walther, Thompson Center and Umarex.

Trading since 1949, incorporated in 1977, and with over sixty years of industry experience, Frontier Arms has successfully provided solutions to Military and Law Enforcement agencies throughout Australia and the Pacific region.